

health.vic

ctoria's hub for health services & business

School exclusion table

Key messages

- The Public Health and Wellbeing Regulations 2019 contain several statutory obligations relating to primary schools and children's services exclusions for infectious diseases
- There have been some minor updates to the diseases and exclusion periods in the Public Health and Wellbeing Regulations 2019
- Exclusions may apply to cases (children with particular infections) and contacts (children who have been exposed to particular infections)
- kindergarten. The exclusion periods are the minimum times a child must be excluded from primary school or a children's service such as childcare centre or
- Children's services describes the terms 'education and care service premises or children's services centre' used in the regulations. It includes centres such as childcare centres and kindergartens.

Public Health and Wellbeing Regulations 2019 (regulation 111)

changes are described in the information sheet "Immunisation and exclusions (schools and children's services)" requirements for cases and contacts are found in Schedule 7 of the regulations, and are reproduced below. They are also available on a table on a page. Key On the 14 December 2019, the Public Health and Wellbeing Regulations 2019 replaced the previously existing regulations. The updated exclusion

certain infectious diseases Primary schools and children's services such as child care centres and kindergartens are settings where there can be an increased risk for transmission of

If you are in charge of a primary school or children's service, you must not allow a child to attend your primary school or children's service either:

as specified in column 3 ('Exclusion of cases') of the table in Schedule 7 if you have been informed that the child is infected with an infectious disease listed in column 2 ('Condition') of the table, or

as specified in column 4 ('Exclusion of contacts') of the table in Schedule 7 if you have been informed that the child has been in contact with a person who is infected with an infectious disease listed in column 2 ('Condition') of the table.

resumed. may direct a person in charge of a primary school or children's service to exclude that child. The Chief Health Officer will then direct when attendance can be Occasionally, the Chief Health Officer may identify that a child is at material risk of contracting a vaccine-preventable disease. As a result, Chief Health Officer

Wellbeing Regulations 2010, Schedule 7) Table: Minimum period of exclusion from primary schools and children's services for infectious diseases cases and contacts (Public Health and

4	ω	2		Number
Diarrhoeal illness	Cytomegalovirus (CMV) infection	Conjunctivitis	Chickenpox	Conditions
Exclude until there has not been vomiting or a loose bowel motion for 24 hours	Exclusion is not necessary	Exclude until discharge from eyes has ceased	Exclude until all blisters have dried. This is usually at least 5 days after the rash appears in unimmunised children, but may be less in previously immunised children	Exclusion of cases
Not excluded	Not excluded	Not excluded	Any child with an immune deficiency (for example, leukaemia) or receiving chemotherapy should be excluded for their own protection. Otherwise not excluded	Exclusion of contacts

					,	5/6/2021
10	ω	∞	7	တ	თ	021
Hepatitis B	Hepatitis A	Haemophilus influenzae type b (Hib)	Hand, Foot and Mouth disease	Glandular fever (Epstein-Barr Virus infection)	Diphtheria	
Exclusion is not necessary	Exclude until a medical certificate of recovery is received, but not before 7 days after the onset of jaundice or illness	Exclude until 48 hours after initiation of effective therapy	Exclude until all blisters have dried	Exclusion is not necessary	Exclude until medical certificate of recovery is received following at least two negative throat swabs, the first not less than 24 hours after finishing a course of antibiotics and the other 48 hours later	School exclus
Not excluded	Not excluded	Not excluded	Not excluded	Not excluded	Exclude family/household contacts until cleared to return by the Chief Health Officer	School exclusion table - health.vic

School exclusion table - health.vic

16	15	14	13	12	====================================
Leprosy	Influenza and influenza like illnesses	Impetigo	Human immuno- deficiency virus infection (HIV)	Herpes (cold sores)	Hepatitis C
Exclude until approval to return has been given by the Chief Health Officer	Exclude until well	Exclude until appropriate treatment has commenced. Sores on exposed surfaces must be covered with a watertight dressing	Exclusion is not necessary	Young children unable to comply with good hygiene practices should be excluded while the lesion is weeping. Lesions to be covered by dressing, where possible	Exclusion is not necessary
Not excluded	Not excluded unless considered necessary by the Chief Health Officer	Not excluded	Not excluded	Not excluded	Not excluded

Meningitis
(bacterial other than meningococcal meningitis)

Meningococcal infection

Pertussis (Whooping cough)	Molluscum contagiosum	Mumps	xclude until adequate carrier eradication thera completed	xclude until well	xclude for at least 4 days after nset of rash
Exclude the after the on they have car	Exclusion is	Exclude for swelling god is sooner)	adequate carrier No eradication therapy has been completed		ays after
Exclude the child for 21 days after the onset of cough or until they have completed 5 days of a course of antibiotic treatment	Exclusion is not necessary	Exclude for 5 days or until swelling goes down (whichever is sooner)	Not excluded if receiving been	Not excluded	Immunised contacts not excluded. Unimmunisexcluded until 14 days after the first day of ap the last case. If unimmunised contacts are valuers of exposure with any infectious case, or Human Immunoglobulin (NHIG) within 144 hor infectious case, they may return to the facility
Contacts aged less than 7 years in the same room as the case who have not received three effective doses of pertussis vaccine should be excluded for 14 days after the last exposure to the infectious case, or until they have taken 5 days of a course of effective antibiotic treatment	Not excluded	Not excluded	Not excluded if receiving carrier eradication therapy en		Immunised contacts not excluded. Unimmunised contacts should be excluded until 14 days after the first day of appearance of rash in the last case. If unimmunised contacts are vaccinated within 72 hours of exposure with any infectious case, or received Normal Human Immunoglobulin (NHIG) within 144 hours of exposure of any infectious case, they may return to the facility

infection Poliovirus

scabies, (head lice) pediculosis Ringworm,

measl Rubell (Germ

(D ω ω

Syndrome (SARS) Respiratory Severe Acute

Verotoxin Shiga toxin or

Escherichia coli

producing

(STEC or VTEC)

Health Officer and only for the period specified by the Chief Exclude if required by the Chief Health Officer

Not excluded

School exclusion table - health.vic

Exclude for at least 14 days from onset. Re admit after receiving medical certificate of recoveryNot excluded

Not excluded

Exclude

appropria

commen

Not excluded

Exclude

for at lea

of recovery is roduced Exclude until edical certificateonset of Not excluded unless considered necessary by the Chief Health Officer

Streptococcal infection (including scarlet fever)

Tuberculosis (excluding latent tuberculosis)

Typhoid fever (including paratyphoid fever)

∄2

Exclude until receipt of a medical certificate from the treating physician stating that the child is not considered to be infectious

Exclude until approval to return has been given by the Chief Health Officer

excluded unless considered necessary by the Chief Health

Explanatory notes:

- Diarrhoeal illness includes instances where certain pathogens are identified including Amebiasis (Entamoeba histolytica), Campylobacter spp., Salmonella spp., Shigella spp. and intestinal worms, but is not limited to infection with these pathogens.
- 'Medical certificate' means a certificate of a registered medical practitioner.
- Exclusion of cases and contacts is not necessary for latent tuberculosis.

Contact details

Communicable Disease Section

Department of Health and Human Services

Do not email patient notifications.

School exclusion table - health.vic

Fusinds until reseist of a	Exclude until the child has received antibiotic treatment for at least 24 hours and the child feels well
Not excluded	Not excluded

infectious.diseases@dhhs.vic.gov.au

50 Lonsdale Street, Melbourne, Victoria 3000 | GPO Box 4057, Melbourne, Victoria 3000

Notification procedures

Page last reviewed: 08 Oct 2015

https://www2.health.vic.gov.au:443/public-health/infectious-diseases/school-exclusion/school-exclusion-table

Privacy Statement https://www2.health.vic.gov.au:443/privacy

Copyright Notice https://www2.health.vic.gov.au:443/copyright

Disclaimer Notice https://www2.health.vic.gov.au:443/disclaimer

This web site is managed and authorised by the Department of Health & Human Services, State Government of Victoria, Australia

© Copyright State of Victoria 2017-2020